



Proudly Owned and Operated in the USA

Searchable via: [FreedomDiagnosticsTesting.com](https://freedomdiagnostics.com/testing)

Product	GHK-CU 50mg
Net Peptide Content	54.29 mg
Identity	GHK-Cu

Certificate of Analysis



Accession Number	2602060230
Client	Glow Peptides
Search Code	Glow2602060230

Received Date:	02/06/2026
Reported Date:	2/10/2026

Lot	260203QL-GH50-01
Purity	99.268%
Appearance	Blue Lyophilized Powder

All Chemical Analysis was performed by HPLC with UV Detection Coupled with Mass Spectrometry

Mass Identification	Result
GHK-Cu	99.268%



Stephen Schmidt

COA: 2602060230

Stephen Schmidt
Principal Chemist

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.

Searchable via: [FreedomDiagnosticsTesting.com](https://freedomdiagnostics.com/testing)

Contact at: Admin@FreedomDiagnostics.net



Proudly Owned and Operated in the USA

Searchable via: [FreedomDiagnosticsTesting.com](https://freedomdiagnostictesting.com)

Product	GHK-CU 50mg
---------	-------------

Certificate of Analysis

Accession Number	2602060231
Client	Glow Peptides
Search Code	Glow2602060231

Received Date:	02/06/2026
Reported Date:	2/10/2026

Lot	260203QL-GH50-01
-----	------------------

All analyses are conducted for research purposes and performed in duplicate in accordance with USP <85> guidelines. *Endotoxin limits are established per USP <85> Bacterial Endotoxins Test and USP <161> Medical Devices—Bacterial Endotoxin and Pyrogen Tests.

Endotoxin Threshold	Result
Replicate 1	Pass
Replicate 2	Pass



Stephen Schmidt

Stephen Schmidt
Principal Chemist

COA: 2602060231

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.

Searchable via: [FreedomDiagnosticsTesting.com](https://freedomdiagnostictesting.com)

Contact at: Admin@FreedomDiagnostics.net